



Cable Contents for September 2006

Building (Conduit) Wires	1
Flat TPS Cables	2
Circular TPS Cables	3
Low Voltage XLPE Cables	3
Neutral Screen Cables	4
Armoured Multicables	5
Unarmoured Multicables	6
KleenScreen Variable Speed Drive	7
Flexible Cords and Cables	8-9
Flexible Building (Appliance) Wires	11
Hyperflex VNR Industrial, Welding and Marine Cables	11
Sundry Wires and Speaker Cables	11
Coaxial Cables	11
Fibre Optic Cables	12
High Performance Data Cables (B20s and B21s)	12
Data Cables (LAN and B95s)	13
Multicore Cables	13
B50/B55 Instrumentation Cables	14
Telephone Cables	15

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Building (Conduit) Wires				
COPPER CONDUCTORS, PVC INSULATED, 600/1000 VOLTS, GENERALLY TO AS/NZS 5000.1				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
10100016	1.0mm ² Conduit Wire Black		A2-00-16SS	4.91
10100021	1.0mm ² Conduit Wire Blue		A2-00-16SS	4.91
10100158	1.0mm ² Conduit Wire Red		A2-00-16SS	4.91
10100199	1.0mm ² Conduit Wire White		A2-00-16SS	4.91
10120403	1.5mm ² Conduit Wire Green/Yellow		A2-00-16SS	5.23
10120016	1.5mm ² Conduit Wire Black		A2-00-16SS	6.81
10120021	1.5mm ² Conduit Wire Blue		A2-00-16SS	6.81
10120158	1.5mm ² Conduit Wire Red		A2-00-16SS	6.81
10120194	1.5mm ² Conduit Wire Yellow		A2-00-16SS	6.81
10120199	1.5mm ² Conduit Wire White		A2-00-16SS	6.81
10140403	2.5mm ² Conduit Wire Green/Yellow		A2-00-16SS	8.01
10140016	2.5mm ² Conduit Wire Black		A2-00-16SS	9.57
10140021	2.5mm ² Conduit Wire Blue		A2-00-16SS	9.57
10140096	2.5mm ² Conduit Wire Grey		A2-00-16SS	9.57
10140158	2.5mm ² Conduit Wire Red		A2-00-16SS	9.57
10140194	2.5mm ² Conduit Wire Yellow		A2-00-16SS	9.57
10140199	2.5mm ² Conduit Wire White		A2-00-16SS	9.57
10165403	4mm ² Conduit Wire Green/Yellow		A2-00-16SS	11.18
10165016	4mm ² Conduit Wire Black		A2-00-16SS	12.29
10165021	4mm ² Conduit Wire Blue		A2-00-16SS	12.29
10165158	4mm ² Conduit Wire Red		A2-00-16SS	12.29
10165199	4mm ² Conduit Wire White		A2-00-16SS	12.29
10183403	6mm ² Conduit Wire Green/Yellow		A2-00-16SS	13.83
10183016	6mm ² Conduit Wire Black		A2-00-16SS	14.99
10183021	6mm ² Conduit Wire Blue		A2-00-16SS	14.99
10183158	6mm ² Conduit Wire Red		A2-00-16SS	14.99
10183199	6mm ² Conduit Wire White		A2-00-16SS	14.99
10200403	10mm ² Conduit Wire Green/Yellow		A2-00-20SS	32.37
10200016	10mm ² Conduit Wire Black		A2-00-20SS	35.71
10200021	10mm ² Conduit Wire Blue		A2-00-20SS	35.71
10200158	10mm ² Conduit Wire Red		A2-00-20SS	35.71
10200199	10mm ² Conduit Wire White		A2-00-20SS	35.71
10220403	16mm ² Conduit Wire Green/Yellow		A2-00-20SS	44.03
10220016	16mm ² Conduit Wire Black		A2-00-20SS	46.37
10220021	16mm ² Conduit Wire Blue		A2-00-20SS	46.37
10220158	16mm ² Conduit Wire Red		A2-00-20SS	46.37
10220199	16mm ² Conduit Wire White		A2-00-20SS	46.37
12200403	25mm ² Conduit Wire Green/Yellow		A2-0-20S	70.14
12200016	25mm ² Conduit Wire Black		A2-0-20S	76.15
12200021	25mm ² Conduit Wire Blue		A2-0-20S	76.15
12200158	25mm ² Conduit Wire Red		A2-0-20S	76.15
12200199	25mm ² Conduit Wire White		A2-0-20S	76.15
12220403	35mm ² Conduit Wire Green/Yellow		A2-0-20S	93.64
12220016	35mm ² Conduit Wire Black		A2-0-20S	101.80
12220158	35mm ² Conduit Wire Red		A2-0-20S	101.80
12240403	50mm ² Conduit Wire Green/Yellow		A2-1-20	128.72
12260403	70mm ² Conduit Wire Green/Yellow		A2-1-20	166.65
12280403	95mm ² Conduit Wire Green/Yellow		A2-2-25	234.98
12300403	120mm ² Conduit Wire Green/Yellow		A2-2-25	324.08
12320403	150mm ² Conduit Wire Green/Yellow		A2-2-25	434.24
12327403	185mm ² Conduit Wire Green/Yellow		A2-2-25	529.52
12328403	240mm ² Conduit Wire Green/Yellow		A2-3-32	734.65

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Flat TPS Cables			
COPPER CONDUCTORS, PVC INSULATED, and SHEATHED, 600/1000 VOLTS, GENERALLY TO NZS 6401			
General Cable Code	Description	Compression Gland	List Price (\$/m) excl. GST
14786199	1.0mm ² 1C TPS(RD) White	A2-00-16SS	9.32
14920199	1.5mm ² 1C TPS (BLK) White	A2-00-16SS	9.69
14925199	1.5mm ² 1C TPS(RD) White	A2-00-16SS	9.69
15080199	2.5mm ² 1C TPS(BLK) White	A2-00-16SS	10.96
15085199	2.5mm ² 1C TPS(RD) White	A2-00-16SS	10.96
15240199	4mm ² 1C TPS(BLK) White	A2-00-20SS	15.35
15245199	4mm ² 1C TPS(RD) White	A2-00-20SS	15.35
15470199	6mm ² 1C TPS(BLK) White	A2-00-20SS	20.60
15475199	6mm ² 1C TPS(RD) White	A2-00-20SS	20.60
15600016	10mm ² 1C TPS(BLK) Black	A2-0-20S	39.52
15605016	10mm ² 1C TPS(RD) Black	A2-0-20S	39.52
15720016	16mm ² 1C TPS(BLK) Black	A2-0-20S	47.33
15725016	16mm ² 1C TPS(RD) Black	A2-0-20S	47.33
14810199	1.0mm ² 2C Flat TPS White		7.52
16190199	1.0mm ² 2C Flat TPS White (Red/White Core)		7.52
14950199	1.5mm ² 2C Flat TPS White		11.17
16210199	1.5mm ² 2C Flat TPS White (Red/White Core)		11.17
15110199	2.5mm ² 2C Flat TPS White		19.52
16240199	2.5mm ² 2C Flat TPS White (Red/White Core)		19.52
15320199	4mm ² 2C Flat TPS White		29.26
15500199	6mm ² 2C Flat TPS White		37.93
15635016	10mm ² 2C Flat TPS Black		72.56
15755016	16mm ² 2C Flat TPS Black		74.32
15810016	16mm ² 2C + 2.5mm ² Pilot Flat TPS Black		87.56
16575016	25mm ² 2C Flat TPS Black		110.30
16605016	25mm ² 2C + 4mm ² Pilot Flat TPS Black		121.94
14850199	1.0mm ² 2C+E Flat TPS White		7.55
14980199	1.5mm ² 2C+E Flat TPS White		10.40
15150199	2.5mm ² 2C+E Flat TPS White		15.62
15350199	4mm ² 2C+E Flat TPS White		26.05
15530199	6mm ² 2C+E Flat TPS White		32.05
15665016	10mm ² 2C+E Flat TPS Black		81.35
15785016	16mm ² 2C+E Flat TPS Black		109.19
14870199	1.0mm ² 3C Flat TPS White		9.64
15010199	1.5mm ² 3C Flat TPS White		15.01
15170199	2.5mm ² 3C Flat TPS White		27.65
15380199	4mm ² 3C Flat TPS White		43.81
14895199	1.0mm ² 3C+E Flat TPS White		18.48
15030199	1.5mm ² 3C+E Flat TPS White		21.61
15190199	2.5mm ² 3C+E Flat TPS White		31.78
15410199	4mm ² 3C+E Flat TPS White		48.03
15560199	6mm ² 3C+E Flat TPS White		62.82
15695016	10mm ² 3C+E Flat TPS Black		111.50
15840016	16mm ² 3C+E Flat TPS Black		164.02
15050199	1.5mm ² 4C Flat TPS White		28.88
15210199	2.5mm ² 4C Flat TPS White		47.43
15440199	4mm ² 4C Flat TPS White		70.81
16981189	1.5mm ² 2C+E Non Migratory TPS (7/0.5)		14.63
16984189	1.5mm ² 3C Non Migratory TPS (7/0.5)		22.86
16985189	2.5mm ² 2C+E Non Migratory TPS		20.28
16990189	4mm ² 2C+E Non Migratory TPS		31.13

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Circular TPS

COPPER CONDUCTORS, INSULATED, and PVC SHEATHED, 600/1000V PVC GENERALLY TO NZS6401				XLPE GENERALLY TO AS/NZS 5000.1	
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST	
18120016	1.5mm ² 2C+E Circ TPS Black	8.2	A2-0-20S	21.98	
18425016	2.5mm ² 2C+E Circ TPS Black	9.6	A2-0-20S	32.56	
18885016	4mm ² 2C+E Circ TPS Black	11.4	A2-1-20	44.17	
19005016	6mm ² 2C+E Circ TPS Black	12.8	A2-1-20	67.92	
19110016	10mm ² 2C+E Circ TPS Black	15.4	A2-2-25	96.94	
19185016	16mm ² 2C+E Circ TPS Black	17.2	A2-2-25	125.58	
19270016	25mm ² 2C+E Circ TPS Black	21.5	A2-3-32	172.64	
18180016	1.5mm ² 3C+E Circ TPS Black	8.9	A2-0-20S	29.69	
18520016	2.5mm ² 3C+E Circ TPS Black	10.5	A2-0-20S	38.72	
18915016	4mm ² 3C+E Circ TPS Black	12.5	A2-1-20	55.88	
19035016	6mm ² 3C+E Circ TPS Black	14.2	A2-1-20	84.13	
19125016	10mm ² 3C+E Circ TPS Black	17.2	A2-2-25	123.81	
19215016	16mm ² 3C+E Circ TPS Black	20.0	A2-2-25	170.07	
19275016	25mm ² 3C+E Circ TPS Black	25.0	A2-3-32	255.74	
66110016	35mm ² 3C+E Xlpe Ins Circ TPS Black	25.0	A2-3-32	350.21	
66150016	50mm ² 3C+E Xlpe Ins Circ TPS Black	28.6	A2-4-40	478.44	
66210016	70mm ² 3C+E Xlpe Ins Circ TPS Black	33.0	A2-4-40	639.80	
66270016	95mm ² 3C+E Xlpe Ins Circ TPS Black	35.3	A2-5-50	718.42	
18615016	2.5mm ² 4C+E Circ TPS Black	11.5	A2-1-20	49.98	
18975016	4mm ² 4C+E Circ TPS Black	13.8	A2-1-20	66.73	
19095016	6mm ² 4C+E Circ TPS Black	15.6	A2-2-25	107.42	
19155016	10mm ² 4C+E Circ TPS Black	18.9	A2-2-25	135.42	
19245016	16mm ² 4C+E Circ TPS Black	21.9	A2-3-32	202.27	
19305016	25mm ² 4C+E Circ TPS Black	30.9	A2-4-40	308.47	
20604016	6mm ² 4C+E Xlpe Ins Circ TPS Black	16.5		103.26	
23340016	10mm ² 4C+E Xlpe Ins Circ TPS Black	18.8		135.42	
23427016	16mm ² 4C+E Xlpe Ins Circ TPS Black	21.6		202.27	
23471016	25mm ² 4C+E Xlpe Ins Circ TPS Black	24.7		308.47	
66120016	35mm ² 4C+E Xlpe Ins Circ TPS Black	26.3	A2-3-32	398.16	
66180016	50mm ² 4C+E Xlpe Ins Circ TPS Black	29.8	A2-4-40	591.42	
66240016	70mm ² 4C+E Xlpe Ins Circ TPS Black	35.0	A2-5-50	763.20	
66300016	95mm ² 4C+E Xlpe Ins Circ TPS Black	40.6	A2-5-50	865.30	

Low Voltage XLPe Cables - Copper

SINGLE CORE, XLPE INSULATED, and PVC SHEATHED CABLES, 600/1000 VOLTS, GENERALLY TO AS/NZS 5000.1				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
23316016	10mm ² Cu 1C Xlpe Black	8.3	A2-0-20S	41.53
23430016	16mm ² Cu 1C Xlpe Black	9.3	A2-0-20S	59.51
23450016	25mm ² Cu 1C Xlpe Black	11.3	A2-1-20	66.82
23470016	35mm ² Cu 1C Xlpe Black	12.5	A2-1-20	87.97
64630016	50mm ² Cu 1C Xlpe Black	13.1	A2-1-20	113.85
64650016	70mm ² Cu 1C Xlpe Black	15.0	A2-2-25	166.10
64670016	95mm ² Cu 1C Xlpe Black	16.9	A2-2-25	218.62
64690016	120mm ² Cu 1C Xlpe Black	18.6	A2-2-25	278.83
64710016	150mm ² Cu 1C Xlpe Black	20.6	A2-3-32	333.94
64730016	185mm ² Cu 1C Xlpe Black	22.7	A2-3-32	405.16
64750016	240mm ² Cu 1C Xlpe Black	25.6	A2-3-32	530.93
64770016	300mm ² Cu 1C Xlpe Black	28.4	A2-4-40	740.09
64790016	400mm ² Cu 1C Xlpe Black	31.7	A2-4-40	919.25
64810016	500mm ² Cu 1C Xlpe Black	35.4	A2-5-50	1132.39
64830016	630mm ² Cu 1C Xlpe Black	42.3	A2-5-50	1459.54

Low Voltage XLPe Cables - Aluminium

SINGLE & FOUR CORE, XLPE INSULATED, and PVC SHEATHED CABLES, 600/1000 VOLTS, GENERALLY TO AS/NZS 5000.1				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
63140016	70mm ² Al 1C Xlpe Black	15.0	A2-2-25	34.14
63155016	70mm ² Al 4C Xlpe Black	30.3	A2-4-40	125.95
63160016	95mm ² Al 1C Xlpe Black	16.8	A2-2-25	39.84
63170016	95mm ² Al 4C Xlpe Black	34.2	A2-4-40	147.93
63180016	120mm ² Al 1C Xlpe Black	18.6	A2-2-25	55.87
63200016	120mm ² Al 4C Xlpe Black	38.2	A2-5-50	167.88
63220016	150mm ² Al 1C Xlpe Black	20.6	A2-3-32	62.84
63250016	185mm ² Al 1C Xlpe Black	22.7	A2-3-32	71.43
63270016	185mm ² Al 4C Xlpe Black	48.0	A2-6-63	246.15
63290016	240mm ² Al 1C Xlpe Black	25.6	A2-3-32	88.90
63280016	240mm ² Al 4C Xlpe Black	53.0	A2-6-63	370.09
63300016	300mm ² Al 4C Xlpe Black	59.1	A2-7-75	556.00
63310016	300mm ² Al 1C Xlpe Black	28.4	A2-4-40	122.00
63330016	400mm ² Al 1C Xlpe Black	31.7	A2-4-40	153.86
63350016	500mm ² Al 1C Xlpe Black	35.4	A2-5-50	196.93
63380016	630mm ² Al 1C Xlpe Black	39.6	A2-5-50	237.22

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Neutral Screen Cables				
SOFT DRAWN COPPER CONDUCTORS, INSULATED, COPPER NEUTRAL SCREEN, PVC SHEATHED, 600/1000 VOLTS,				GENERALLY TO AS/NZS 4961
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
17100016	2.5mm ² 1C + Neutral Screen Black	8.4	A2-0-20S	46.95
17220016	4mm ² 1C + Neutral Screen Black	9.3	A2-0-20S	52.70
17340016	6mm ² 1C + Neutral Screen Black	9.9	A2-0-20S	55.52
17460016	10mm ² 1C + Neutral Screen Black	14.0	A2-1-20	63.34
17610016	16mm ² 1C + Neutral Screen Black	15.4	A2-2-25	70.34
17640016	16mm ² 1C + 4mm ² P Neutral Screen Black	22.1 x 15.1		117.23
17860016	25mm ² 1C + 4mm ² P Neutral Screen Black	28.3 x 17.4		171.42
17850016	16mm ² 1C Xipe Ins + Neutral Screen Black	15.35	A2-2-25	74.53
17900016	25mm ² 1C Xipe Ins + Neutral Screen Black	17.5	A2-2-25	115.65
61880016	35mm ² 1C Xipe Ins + Neutral Screen Black	19.6	A2-2-25	172.90
61901016	50mm ² 1C Xipe Ins + Neutral Screen Black	22.3	A2-3-32	258.51
62704016	70mm ² 1C Xipe Ins + Neutral Screen Black	25.3	A2-3-32	320.02
17130016	2.5mm ² 2C + Neutral Screen Black	12.1 x 8.4		46.04
17250016	4mm ² 2C + Neutral Screen Black	13.6 x 9.3		61.71
17370016	6mm ² 2C + Neutral Screen Black	15.1 x 9.9		72.19
17520016	10mm ² 2C + Neutral Screen Black	20.0 x 14.0		101.02
17670016	16mm ² 2C + Neutral Screen Black	22.1 x 15.1		111.57
17700016	16mm ² 2C + 4mm ² P Neutral Screen Black	Circular 23.3		161.02
17890016	25mm ² 2C + 4mm ² P Neutral Screen Black	Circular 27.6		243.86
17851016	16mm ² 2C Xipe Ins + Neutral Screen Black	14.79X21.16		114.00
17910016	25mm ² 2C Xipe Ins + Neutral Screen Black	25.5 x 17.0		184.61
61890016	35mm ² 2C Xipe Ins + Neutral Screen Black	28.1 x 18.5		346.30
61900016	50mm ² 2C Xipe Ins + Neutral Screen Black	31.0 x 20.0		441.90
17160016	2.5mm ² 3C + Neutral Screen Black	12.7	A2-1-20	60.24
17280016	4mm ² 3C + Neutral Screen Black	14.7	A2-2-25	83.64
17400016	6mm ² 3C + Neutral Screen Black	16.0	A2-2-25	97.12
17560016	10mm ² 3C + Neutral Screen Black	21.0	A2-3-32	134.92
17730016	16mm ² 3C + Neutral Screen Black	23.2	A2-3-32	137.65
17760016	16mm ² 3C + 4mm ² P Neutral Screen Black	25.1	A2-3-32	199.95
17740016	16mm ² 3C Xipe Ins + Neutral Screen Black	21.8	A2-3-32	137.65
17920016	25mm ² 3C Xipe Ins + Neutral Screen Black	26.5	A2-3-32	255.02
64390016	35mm ² 3C Xipe Ins + Neutral Screen Black	28.6	A2-3-32	417.23
64420016	50mm ² 3C Xipe Ins + Neutral Screen Black	27.8	A2-4-40	613.83
64460016	70mm ² 3C Xipe Ins + Neutral Screen Black	32.0	A2-4-40	898.49
64485016	95mm ² 3C Xipe Ins + Neutral Screen Black	35.8	A2-5-50	995.54
64500016	120mm ² 3C Xipe Ins + Neutral Screen Black	38.8	A2-5-50	1130.62
17190016	2.5mm ² 4C + Neutral Screen Black	13.6	A2-1-20	74.43
17310016	4mm ² 4C + Neutral Screen Black	15.8	A2-2-25	100.46
17430016	6mm ² 4C + Neutral Screen Black	17.3	A2-2-25	120.01
17580016	10mm ² 4C + Neutral Screen Black	22.5	A2-3-32	194.46
17790016	16mm ² 4C + Neutral Screen Black	25.1	A2-3-32	233.74
17792016	16mm ² 4C Xipe Ins + Neutral Screen Black	23.5	A2-3-32	233.74
17930016	25mm ² 4C Xipe Ins + Neutral Screen Black	28.6	A2-4-40	387.68
64400016	35mm ² 4C Xipe Ins + Neutral Screen Black	29.9	A2-4-40	618.18
64440016	50mm ² 4C Xipe Ins + Neutral Screen Black	31.2	A2-4-40	769.72
64470016	70mm ² 4C Xipe Ins + Neutral Screen Black	34.0	A2-5-50	962.29
64480016	95mm ² 4C Xipe Ins + Neutral Screen Black	39.4	A2-5-50	1272.50

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Armoured Multicables

COPPER CONDUCTORS, STEEL WIRE ARMOUR, PVC SHEATHED, 600/1000 VOLTS, PVC INSULATION GENERALLY TO BS 6346, XLPE INSULATION GENERALLY TO BS 5467

General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
19920016	1.5mm ² 2C PVC SWA Multicable Black	12.3	CW-00-20SS	69.08
20165016	2.5mm ² 2C PVC SWA Multicable Black	13.4	CW-0-20S	81.51
20440016	4mm ² 2C PVC SWA Multicable Black	14.9	CW-0-20S	92.52
20530016	6mm ² 2C PVC SWA Multicable Black	16.3	CW-1-20	107.98
19950016	1.5mm ² 3C PVC SWA Multicable Black	12.7	CW-00-20SS	75.32
20195016	2.5mm ² 3C PVC SWA Multicable Black	13.9	CW-0-20S	76.99
20470016	4mm ² 3C PVC SWA Multicable Black	15.5	CW-0-20S	100.56
20560016	6mm ² 3C PVC SWA Multicable Black	17.8	CW-1-20	137.85
20615016	10mm ² 3C PVC SWA Multicable Black	20.9	CW-2-25	191.75
19985016	1.5mm ² 4C PVC SWA Multicable Black	13.5	CW-0-20S	82.70
20260016	2.5mm ² 4C PVC SWA Multicable Black	14.8	CW-0-20S	87.62
20500016	4mm ² 4C PVC SWA Multicable Black	17.6	CW-1-20	122.20
20590016	6mm ² 4C PVC SWA Multicable Black	19.0	CW-1-20	157.33
20620016	10mm ² 4C PVC SWA Multicable Black	22.0	CW-2-25	218.88
23440016	16mm ² 4C Xlpe SWA Multicable Black	23	CW-2-25	296.22
23460016	25mm ² 4C Xlpe SWA Multicable Black	29	CW-3-32	421.14
65200016	35mm ² 4C Xlpe SWA Multicable Black	28.1	CW-3-32	525.96
65230016	50mm ² 4C Xlpe SWA Multicable Black	31.5	CW-3-32	665.25
65260016	70mm ² 4C Xlpe SWA Multicable Black	36	CW-4-40	964.59
65290016	95mm ² 4C Xlpe SWA Multicable Black	40.8	CW-4-40	1236.44
65320016	120mm ² 4C Xlpe SWA Multicable Black	46.4	CW-5-50	1484.99
65350016	150mm ² 4C Xlpe SWA Multicable Black	50.8	CW-5-50	1802.31
65380016	185mm ² 4C Xlpe SWA Multicable Black	55.7	CW-6-63	2206.32
65430016	240mm ² 4C Xlpe SWA Multicable Black	61.8	CW-6-63	2581.10
20014016	1.5mm ² 6C+ E PVC SWA Multicable Black	15.3	CW-0-20S	100.86
20294016	2.5mm ² 6C +E PVC SWA Multicable Black	17.9	CW-1-20	108.21
20015016	1.5mm ² 7C PVC SWA Multicable Black	15.3	CW-0-20S	100.86
20290016	2.5mm ² 7C PVC SWA Multicable Black	17.9	CW-1-20	108.21
20044016	1.5mm ² 11C+ E PVC SWA Multicable Black	19.8	CW-1-20	148.10
20324016	2.5mm ² 11C + E PVC SWA Multicable Black	22.1	CW-2-25	190.83
20045016	1.5mm ² 12C PVC SWA Multicable Black	19.8	CW-1-20	148.10
20320016	2.5mm ² 12C PVC SWA Multicable Black	22.1	CW-2-25	190.83
20074016	1.5mm ² 18C + E PVC SWA Multicable Black	22.9	CW-2-25	244.48
20354016	2.5mm ² 18C + E PVC SWA Multicable Black	26.4	CW-2-25	285.80
20075016	1.5mm ² 19C PVC SWA Multicable Black	22.9	CW-2-25	244.48
20350016	2.5mm ² 19C PVC SWA Multicable Black	26.4	CW-2-25	285.80
20104016	1.5mm ² 24C + E PVC SWA Multicable Black	26.5	CW-2-25	317.30
20105016	1.5mm ² 25C PVC SWA Multicable Black	26.5	CW-2-25	317.30
20384016	2.5mm ² 26C + E PVC SWA Multicable Black	30.8	CW-3-32	402.46
20380016	2.5mm ² 27C PVC SWA Multicable Black	30.8	CW-3-32	402.46
20134016	1.5mm ² 36C + E PVC SWA Multicable Black	29.6	CW-3-32	387.16
20414016	2.5mm ² 37C PVC SWA Multicable Black	33.8	CW-4-40	560.88
20135016	1.5mm ² 37C PVC SWA Multicable Black	29.6	CW-3-32	387.16
20410016	2.5mm ² 37C PVC SWA Multicable Black	33.8	CW-4-40	560.88

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Unarmoured Multicables				
COPPER CONDUCTORS, PVC INSULATED, and SHEATHED, 600/1000 VOLTS, GENERALLY TO NZS 6401				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
18090016	1.5mm ² 2C PVC Multicable Black	7.7	A2-0-20S	22.57
18395016	2.5mm ² 2C PVC Multicable Black	9.1	A2-0-20S	35.29
18150016	1.5mm ² 3C PVC Multicable Black	8.2	A2-0-20S	25.79
18485016	2.5mm ² 3C PVC Multicable Black	9.6	A2-0-20S	36.17
18910016	4mm ² 3C PVC Multicable Black	11.4	A2-1-20	45.14
19030016	6mm ² 3C PVC Multicable Black	12.7	A2-1-20	63.46
19115016	10mm ² 3C PVC Multicable Black	15.9	A2-2-25	96.25
19210016	16mm ² 3C PVC Multicable Black	18.4	A2-2-25	135.52
19272016	25mm ² 3C PVC Multicable Black	22.6	A2-3-32	219.48
18155016	1.5mm ² 3C PVC Multicable Black	8.2	A2-0-20S	25.79
18490016	2.5mm ² 3C PVC Multicable Black	9.6	A2-0-20S	36.17
18210016	1.5mm ² 4C PVC Multicable Black	8.9	A2-0-20S	29.11
18580016	2.5mm ² 4C PVC Multicable Black	10.5	A2-0-20S	45.49
18945016	4mm ² 4C PVC Multicable Black	12.5	A2-1-20	60.83
19065016	6mm ² 4C PVC Multicable Black	14.1	A2-1-20	86.66
19150016	10mm ² 4C PVC Multicable Black	17.2	A2-2-25	128.92
18215016	1.5mm ² 4C PVC Multicable Black	8.9	A2-0-20S	29.11
18584016	2.5mm ² 4C PVC Multicable Black	10.5	A2-0-20S	45.49
18000016	1.0mm ² 7C PVC Multicable Black	9.4	A2-0-20S	39.82
18245016	1.5mm ² 7C PVC Multicable Black	11.0	A2-0-20S	41.91
18675016	2.5mm ² 7C PVC Multicable Black	12.8	A2-1-20	64.05
18030016	1.0mm ² 12C PVC Multicable Black	12.3	A2-1-20	76.17
18275016	1.5mm ² 12C PVC Multicable Black	14.8	A2-2-25	83.50
18705016	2.5mm ² 12C PVC Multicable Black	17.3	A2-2-25	125.83
18060016	1.0mm ² 19C PVC Multicable Black	14.6	A2-2-25	102.16
18305016	1.5mm ² 19C PVC Multicable Black	17.4	A2-2-25	118.43
18765016	2.5mm ² 19C PVC Multicable Black	20.4	A2-2-25	175.14
18335016	1.5mm ² 27C PVC Multicable Black	21.0	A2-3-32	169.08
18825016	2.5mm ² 27C PVC Multicable Black	24.7	A2-3-32	285.49
18075016	1.0mm ² 30C PVC Multicable Black	18.1	A2-2-25	176.20
18080016	1.0mm ² 37C PVC Multicable Black	19.8	A2-2-25	236.07
18365016	1.5mm ² 37C PVC Multicable Black	23.7	A2-3-32	256.52
18855016	2.5mm ² 37C PVC Multicable Black	28.1	A2-4-40	379.96

Unarmoured Multicables				
COPPER CONDUCTORS, PVC INSULATED, and SHEATHED, 450/750VOLTS, GENERALLY TO NZS 5000.2				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
41807016	1.0mm ² 6C + E PVC Multicable Black	9.4	A2-0-20S	39.82
42007016	1.5mm ² 6C + E PVC Multicable Black	11.0	A2-0-20S	41.91
41307016	2.5mm ² 6C + E PVC Multicable Black	12.8	A2-1-20	64.05
41812016	1.0mm ² 11C + E PVC Multicable Black	12.3	A2-1-20	76.17
42012016	1.5mm ² 11C + E PVC Multicable Black	14.8	A2-2-25	83.50
41312016	2.5mm ² 11C + E PVC Multicable Black	17.3	A2-2-25	125.83
41819016	1.0mm ² 18C + E PVC Multicable Black	14.6	A2-2-25	102.53
42019016	1.5mm ² 18C + e PVC Multicable Black	17.4	A2-2-25	118.43
41319016	2.5mm ² 19C PVC Multicable Black	20.4	A2-2-25	175.14

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Flexible Cords and Cables		
COPPER CONDUCTORS,PVC INSULATED, AND SHEATHED, GENERALLY TO AS/NZS 3191		
General Cable Code	Description	List Price (\$/m) excl. GST
32160016	0.5mm ² 2C V75 Light Duty Flex Black - 250/250V	9.37
32160199	0.5mm ² 2C V75 Light Duty Flex White - 250/250V	9.37
32250083	0.5mm ² 3C V75 Light Duty Flex Gold - 250/250V	14.17
32260016	0.5mm ² 3C V75 Light Duty Flex Black - 250/250V	9.73
32260199	0.5mm ² 3C V75 Light Duty Flex White - 250/250V	9.73
32260096	0.5mm ² 3C V75 Light Duty Flex Grey - 250/250V	9.73
32500016	0.75mm ² 2C V75 Light Duty Flex Black - 250/250V	20.44
32520199	0.75mm ² 3C V75 Light Duty Flex White - 250/250V	28.04
32520016	0.75mm ² 3C V75 Light Duty Flex Black - 250/250V	28.04
32520096	0.75mm ² 3C V75 Light Duty Flex Grey - 250/250V	28.04
32130016	0.5mm ² 2C V75 Ordinary Duty Flex Black - 250/440V	9.86
32130199	0.5mm ² 2C V75 Ordinary Duty Flex White - 250/440V	9.86
32220016	0.5mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	11.26
32220199	0.5mm ² 3C V75 Ordinary Duty Flex White - 250/440V	11.26
32280016	0.5mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	13.19
32280199	0.5mm ² 4C V75 Ordinary Duty Flex White - 250/440V	13.19
32340016	0.75mm ² 2C V75 Ordinary Duty Flex Black - 250/440V	10.66
32340096	0.75mm ² 2C V75 Ordinary Duty Flex Grey - 250/440V	10.66
32340199	0.75mm ² 2C V75 Ordinary Duty Flex White - 250/440V	10.66
32560016	0.75mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	13.19
32560096	0.75mm ² 3C V75 Ordinary Duty Flex Grey - 250/440V	13.19
32560199	0.75mm ² 3C V75 Ordinary Duty Flex White - 250/440V	13.19
32650016	0.75mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	16.30
32650199	0.75mm ² 4C V75 Ordinary Duty Flex White - 250/440V	16.30
32650096	0.75mm ² 4C V75 Ordinary Duty Flex Grey - 250/440V	16.30
32710016	1mm ² 2C V75 Ordinary Duty Flex Black - 250/440V	13.27
32710096	1mm ² 2C V75 Ordinary Duty Flex Grey - 250/440V	13.27
32710199	1mm ² 2C V75 Ordinary Duty Flex White - 250/440V	13.27
32740016	1mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	15.54
32740096	1mm ² 3C V75 Ordinary Duty Flex Grey - 250/440V	15.54
32740199	1mm ² 3C V75 Ordinary Duty Flex White - 250/440V	15.54
32800016	1mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	22.45
32800096	1mm ² 4C V75 Ordinary Duty Flex Grey - 250/440V	22.45
32800199	1mm ² 4C V75 Ordinary Duty Flex White - 250/440V	22.45
32806016	1mm ² 5C V75 Ordinary Duty Flex Black - 250/440V	26.43
32830016	1.5mm ² 2C V75 Ordinary Duty FlexBlack - 250/440V	17.93
32830199	1.5mm ² 2C V75 Ordinary Duty Flex White - 250/440V	17.93
32830096	1.5mm ² 2C V75 Ordinary Duty Flex Grey - 250/440V	17.93
32860016	1.5mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	18.93
32860096	1.5mm ² 3C V75 Ordinary Duty Flex Grey - 250/440V	18.93
32860199	1.5mm ² 3C V75 Ordinary Duty Flex White - 250/440V	18.93
32925016	1.5mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	25.12
32925096	1.5mm ² 4C V75 Ordinary Duty Flex Grey - 250/440V	25.12
32925199	1.5mm ² 4C V75 Ordinary Duty Flex White - 250/440V	25.12
32985016	1.5mm ² 5C V75 Ordinary Duty Flex Black - 250/440V	40.91
32990016	1.5mm ² 7C V75 Ordinary Duty Flex Black - 250/440V	66.26
33000016	1.5mm ² 12C V75 Ordinary Duty Flex Black - 250/440V	126.90
33043016	2.5mm ² 2C V75 Ordinary Duty Flex Black - 250/440V	24.69
33043096	2.5mm ² 2C V75 Ordinary Duty Flex Grey - 250/440V	24.69
33045016	2.5mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	28.67
33045096	2.5mm ² 3C V75 Ordinary Duty Flex Grey - 250/440V	28.67
33045199	2.5mm ² 3C V75 Ordinary Duty Flex White - 250/440V	28.67
33075016	2.5mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	39.71
33075096	2.5mm ² 4C V75 Ordinary Duty Flex Grey - 250/440V	39.71
33075199	2.5mm ² 4C V75 Ordinary Duty Flex White - 250/440V	39.71
33105016	2.5mm ² 5C V75 Ordinary Duty Flex Black - 250/440V	57.50
33126016	4mm ² 2C V75 Ordinary Duty Flex Black - 250/440V	30.97
33135016	4mm ² 3C V75 Ordinary Duty Flex Black - 250/440V	44.64
33135199	4mm ² 3C V75 Ordinary Duty Flex White - 250/440V	44.64
33165016	4mm ² 4C V75 Ordinary Duty Flex Black - 250/440V	55.30
33165199	4mm ² 4C V75 Ordinary Duty Flex White - 250/440V	55.30
32410016	0.75mm ² 2C V75 Ordinary Duty Flex Black - 0.6/1kV	16.48
32410096	0.75mm ² 2C V75 Ordinary Duty Flex Grey - 0.6/1kV	16.48
32766016	1mm ² 3C V75 Ordinary Duty Flex Black - 0.6/1kV	24.64
32766096	1mm ² 3C V75 Ordinary Duty FlexGrey - 0.6/1kV	24.64
32870016	1.5mm ² 3C V75 Ordinary Duty Flex Black - 0.6/1kV	28.56
32870096	1.5mm ² 3C V75 Ordinary Duty FlexGrey - 0.6/1kV	28.56
33046016	2.5mm ² 3C V75 Ordinary Duty Flex Black - 0.6/1kV	41.15
33046096	2.5mm ² 3C V75 Ordinary Duty FlexGrey - 0.6/1kV	41.15

General Cable New Zealand Limited - Price List - Effective 1st September 2006

32620016	0.75mm ² 3C V90 Ordinary Duty Flex Black - 250/440V	16.01
32620199	0.75mm ² 3C V90 Ordinary Duty Flex White - 250/440V	16.01
32620096	0.75mm ² 3C V90 Ordinary Duty Flex Grey - 250/440V	16.01
32770016	1mm ² 3C V90 Ordinary Duty Flex Black - 250/440V	20.73
32770199	1mm ² 3C V90 Ordinary Duty Flex White - 250/440V	20.73
32770096	1mm ² 3C V90 Ordinary Duty Flex Grey - 250/440V	20.73
32895016	1.5mm ² 3C V90 Ordinary Duty Flex Black - 250/440V	21.48
32895199	1.5mm ² 3C V90 Ordinary Duty Flex White - 250/440V	21.48
32895096	1.5mm ² 3C V90 Ordinary Duty Flex Grey - 250/440V	21.48
32955016	1.5mm ² 4C V90 Ordinary Duty Flex Black - 250/440V	29.95
32955199	1.5mm ² 4C V90 Ordinary Duty Flex White - 250/440V	29.95
32955096	1.5mm ² 4C V90 Ordinary Duty Flex Grey - 250/440V	29.95
33015016	2.5mm ² 3C V90 Ordinary Duty Flex Black - 250/440V	33.39
33015199	2.5mm ² 3C V90 Ordinary Duty Flex White - 250/440V	33.39
33015096	2.5mm ² 3C V90 Ordinary Duty Flex Grey - 250/440V	33.39
33095016	2.5mm ² 4C V90 Ordinary Duty Flex Black - 250/440V	43.15
33095199	2.5mm ² 4C V90 Ordinary Duty Flex White - 250/440V	43.15
33095096	2.5mm ² 4C V90 Ordinary Duty Flex Grey - 250/440V	43.15
34690199	0.5mm ² 2C Tru-rip White - 300/500V	5.65
34880199	0.75mm ² 2C Tru-rip White - 300/500V	6.56

Flexible Cords and Cables		
COPPER CONDUCTORS PVC INSULATED AND SHEATHED		
General Cable Code	Description	List Price (\$/m) excl. GST
33980131	0.75mm ² 2C Copper Braided Screen Flex Orange - 300/500V	45.70
33991131	1mm ² 3C Copper Braided Screen Flex Orange - 300/500V	50.59
33992131	1mm ² 3C Copper Braided Screen Flex Orange - 300/500V	50.59
33996131	1mm ² 5C Copper Braided Screen Flex Orange - 300/500V	62.81
34002131	1.5mm ² 3C Copper Braided Screen Flex Orange - 300/500V	56.55
34004131	1.5mm ² 3C Copper Braided Screen Flex Orange - 300/500V	56.55
34005131	1.5mm ² 4C Copper Braided Screen Flex Orange - 300/500V	63.26
34010131	2.5mm ² 3C Copper Braided Screen Flex Orange - 300/500V	69.60
34011131	2.5mm ² 3C Copper Braided Screen Flex Orange - 300/500V	69.60
34015131	2.5mm ² 4C Copper Braided Screen Flex Orange - 300/500V	70.39
34020131	4mm ² 3C Copper Braided Screen Flex Orange - 300/500V	84.17
34021131	4mm ² 3C Copper Braided Screen Flex Orange - 300/500V	84.17
34025131	4mm ² 4C Copper Braided Screen Flex Orange - 300/500V	103.24

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Flexible Building (Appliance) Wires		
COPPER CONDUCTORS, HEAT RESISTING PVC INSULATED (V90), 600/1000 VOLTS, GENERALLY TO AS/NZS 3191		
General Cable Code	Description	List Price (\$/m) excl. GST
35540016	0.5mm ² 1C PAC V90-HT Black Appliance Wire	2.65
35540021	0.5mm ² 1C PAC V90-HT Blue Appliance Wire	2.65
35540028	0.5mm ² 1C PAC V90-HT Brown Appliance Wire	2.65
35540131	0.5mm ² 1C PAC V90-HT Orange Appliance Wire	2.65
35540158	0.5mm ² 1C PAC V90-HT Red Appliance Wire	2.65
35540194	0.5mm ² 1C PAC V90-HT Yellow Appliance Wire	2.65
35540199	0.5mm ² 1C PAC V90-HT White Appliance Wire	2.65
35540403	0.5mm ² 1C PAC V90-HT Green/Yellow Appliance Wire	2.65
35620016	0.75mm ² 1C PAC V90-HT Black Appliance Wire	3.38
35620021	0.75mm ² 1C PAC V90-HT Blue Appliance Wire	3.38
35620028	0.75mm ² 1C PAC V90-HT Brown Appliance Wire	3.38
35620131	0.75mm ² 1C PAC V90-HT Orange Appliance Wire	3.38
35620158	0.75mm ² 1C PAC V90-HT Red Appliance Wire	3.38
35620194	0.75mm ² 1C PAC V90-HT Yellow Appliance Wire	3.38
35620199	0.75mm ² 1C PAC V90-HT White Appliance Wire	3.38
35620403	0.75mm ² 1C PAC V90-HT Green/Yellow Appliance Wire	3.38
35680016	1mm ² 1C PAC V90-HT Black Appliance Wire	4.08
35680021	1mm ² 1C PAC V90-HT Blue Appliance Wire	4.08
35680028	1mm ² 1C PAC V90-HT Brown Appliance Wire	4.08
35680131	1mm ² 1C PAC V90-HT Orange Appliance Wire	4.08
35680158	1mm ² 1C PAC V90-HT Red Appliance Wire	4.08
35680194	1mm ² 1C PAC V90-HT Yellow Appliance Wire	4.08
35680199	1mm ² 1C PAC V90-HT White Appliance Wire	4.08
35680403	1mm ² 1C PAC V90-HT Green/Yellow Appliance Wire	4.08
35810016	1.5mm ² 1C PAC V90-HT Black Appliance Wire	5.35
35810021	1.5mm ² 1C PAC V90-HT Blue Appliance Wire	5.35
35810028	1.5mm ² 1C PAC V90-HT Brown Appliance Wire	5.35
35810131	1.5mm ² 1C PAC V90-HT Orange Appliance Wire	5.35
35810158	1.5mm ² 1C PAC V90-HT Red Appliance Wire	5.35
35810194	1.5mm ² 1C PAC V90-HT Yellow Appliance Wire	5.35
35810199	1.5mm ² 1C PAC V90-HT White Appliance Wire	5.35
35810403	1.5mm ² 1C PAC V90-HT Green/Yellow Appliance Wire	5.35
35850016	2.5mm ² 1C PAC V90-HT Black Appliance Wire	8.21
35850021	2.5mm ² 1C PAC V90-HT Blue Appliance Wire	8.21
35850028	2.5mm ² 1C PAC V90-HT Brown Appliance Wire	8.21
35850131	2.5mm ² 1C PAC V90-HT Orange Appliance Wire	8.21
35850158	2.5mm ² 1C PAC V90-HT Red Appliance Wire	8.21
35850194	2.5mm ² 1C PAC V90-HT Yellow Appliance Wire	8.21
35850199	2.5mm ² 1C PAC V90-HT White Appliance Wire	8.21
35850403	2.5mm ² 1C PAC V90-HT Green/Yellow Appliance Wire	8.21
37600016	0.5mm ² 1C TAC V90-HT Black Appliance Wire	3.48
37600021	0.5mm ² 1C TAC V90-HT Blue Appliance Wire	3.48
37600028	0.5mm ² 1C TAC V90-HT Brown Appliance Wire	3.48
37600131	0.5mm ² 1C TAC V90-HT Orange Appliance Wire	3.48
37600158	0.5mm ² 1C TAC V90-HT Red Appliance Wire	3.48
37600194	0.5mm ² 1C TAC V90-HT Yellow Appliance Wire	3.48
37600199	0.5mm ² 1C TAC V90-HT White Appliance Wire	3.48
37600403	0.5mm ² 1C TAC V90-HT Green/Yellow Appliance Wire	3.48
37650016	0.75mm ² 1C TAC V90-HT Black Appliance Wire	4.33
37650021	0.75mm ² 1C TAC V90-HT Blue Appliance Wire	4.33
37650028	0.75mm ² 1C TAC V90-HT Brown Appliance Wire	4.33
37650131	0.75mm ² 1C TAC V90-HT Orange Appliance Wire	4.33
37650158	0.75mm ² 1C TAC V90-HT Red Appliance Wire	4.33
37650194	0.75mm ² 1C TAC V90-HT Yellow Appliance Wire	4.33
37650199	0.75mm ² 1C TAC V90-HT White Appliance Wire	4.33
37650403	0.75mm ² 1C TAC V90-HT Green/Yellow Appliance Wire	4.33
37680016	1mm ² 1C TAC V90-HT Black Appliance Wire	5.37
37680021	1mm ² 1C TAC V90-HT Blue Appliance Wire	5.37
37680028	1mm ² 1C TAC V90-HT Brown Appliance Wire	5.37
37680131	1mm ² 1C TAC V90-HT Orange Appliance Wire	5.37
37680158	1mm ² 1C TAC V90-HT Red Appliance Wire	5.37
37680194	1mm ² 1C TAC V90-HT Yellow Appliance Wire	5.37
37680199	1mm ² 1C TAC V90-HT White Appliance Wire	5.37
37680403	1mm ² 1C TAC V90-HT Green/Yellow Appliance Wire	5.37
37710016	1.5mm ² 1C TAC V90-HT Black Appliance Wire	6.63
37710021	1.5mm ² 1C TAC V90-HT Blue Appliance Wire	6.63
37710028	1.5mm ² 1C TAC V90-HT Brown Appliance Wire	6.63
37710131	1.5mm ² 1C TAC V90-HT Orange Appliance Wire	6.63
37710158	1.5mm ² 1C TAC V90-HT Red Appliance Wire	6.63
37710194	1.5mm ² 1C TAC V90-HT Yellow Appliance Wire	6.63
37710199	1.5mm ² 1C TAC V90-HT White Appliance Wire	6.63
37710403	1.5mm ² 1C TAC V90-HT Green/Yellow Appliance Wire	6.63
37740016	2.5mm ² 1C TAC V90-HT Black Appliance Wire	10.92
37740021	2.5mm ² 1C TAC V90-HT Blue Appliance Wire	10.92
37740028	2.5mm ² 1C TAC V90-HT Brown Appliance Wire	10.92
37740131	2.5mm ² 1C TAC V90-HT Orange Appliance Wire	10.92
37740158	2.5mm ² 1C TAC V90-HT Red Appliance Wire	10.92
37740194	2.5mm ² 1C TAC V90-HT Yellow Appliance Wire	10.92
37740199	2.5mm ² 1C TAC V90-HT White Appliance Wire	10.92
37740403	2.5mm ² 1C TAC V90-HT Green/Yellow Appliance Wire	10.92

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Hyperflex VNR Industrial Cables

COPPER CONDUCTORS, PVC INSULATED, VNR SHEATHED

General Cable Code	Description	List Price (\$/m) excl. GST
32873179	1.5mm ² 3C Hyperflex Ordinary Duty Tangerine - 250/440V	25.54
32874179	1.5mm ² 4C Hyperflex Ordinary Duty Tangerine - 250/440V	42.18
32875179	1.5mm ² 5C Hyperflex Ordinary Duty Tangerine - 250/440V	49.88
33063179	2.5mm ² 3C Hyperflex Ordinary Duty Tangerine - 250/440V	43.70
33064179	2.5mm ² 4C Hyperflex Ordinary Duty Tangerine - 250/440V	57.47
33065179	2.5mm ² 5C Hyperflex Ordinary Duty Tangerine - 250/440V	74.56
33136179	4mm ² 3C Hyperflex Ordinary Duty Tangerine - 250/440V	62.83
33197179	4mm ² 4C Hyperflex Ordinary Duty Tangerine - 250/440V	79.11
33205179	4mm ² 5C Hyperflex Ordinary Duty Tangerine - 250/440V	101.19
33016179	2.5mm ² 3C Hyperflex Heavy Duty Tangerine - 600/1000V	53.45
33096179	2.5mm ² 4C Hyperflex Heavy Duty Tangerine - 600/1000V	65.61
33106179	2.5mm ² 5C Hyperflex Heavy Duty Tangerine - 600/1000V	81.34
33199179	4mm ² 3C Hyperflex Heavy Duty Tangerine - 600/1000V	69.23
33190179	4mm ² 4C Hyperflex Heavy Duty Tangerine - 600/1000V	87.33
33210179	4mm ² 5C Hyperflex Heavy Duty Tangerine - 600/1000V	115.51
55424179	16mm ² 4C Hyperflex Heavy Duty Tangerine - 600/1000V	266.63
55425179	16mm ² 5C Hyperflex Heavy Duty Tangerine - 600/1000V	325.06

Hyperflex VNR Marine Cables

TINNED COPPER CONDUCTORS GENERALLY TO AS/NZS 4193.4 AND IEC 92-353

General Cable Code	Description	List Price (\$/m) excl. GST
54510096	16mm ² 1C TAC Hyperflex Marine Grey - 600/1000V	61.19
54520096	35mm ² 1C TAC Hyperflex Marine Grey - 600/1000V	104.20
54530096	70mm ² 1C TAC Hyperflex Marine Grey - 600/1000V	190.62

Hyperflex Welding Cables

COPPER CONDUCTORS, HYPER-POLY OR EPR INSULATED, HYPER-VNR SHEATHED GENERALLY TO AS 1995 and AS/NZS 5000.1

General Cable Code	Description	List Price (\$/m) excl. GST
55410179	16mm ² 1C Hyper-Poly Ins. Hyperflex Welding Tangerine - 600/1000V	37.85
55540179	35mm ² 1C Hyper-Poly Ins. Hyperflex Welding Tangerine - 600/1000V	68.02
55615179	70mm ² 1C Hyper-Poly Ins. Hyperflex Welding Tangerine - 600/1000V	132.38
55617179	95mm ² 1C EPR Ins. Hyperflex Welding Tangerine - 600/1000V	313.65
55619179	120mm ² 1C EPR Ins. Hyperflex Welding Tangerine - 600/1000V	409.95
55624016	185mm ² 1C EPR Ins. Hyperflex Welding Black - 600/1000V	673.97

SUNDRY WIRES and SPEAKER CABLES

General Cable Code	Description	List Price (\$/m) excl. GST
35545016	.5mm ² (Solid) 1C Fluorescent Wire Black	2.39
35545088	.5mm ² (Solid) 1C Fluorescent Wire Green	2.39
35545158	.5mm ² (Solid) 1C Fluorescent Wire Red	2.39
34550199	.2mm ² 2C Tru-rip Bell Wire White	2.53
22480016	1.7mm PVC Binding Wire Black	5.93
22510016	2.03mm PVC Binding Wire Black	7.57
54180000	0.65mm ² 2C Twisted Speaker Cable - Red/ Black	9.85
54181000	0.75mm ² 2C Twisted Speaker Cable - Red/ Black	9.85
34640448	0.5mm ² 2C Tru-rip Speaker Cable - Grey/ Blue	4.91
34770000	0.75mm ² 2C Tru-rip Speaker Cable - Grey/ Black	7.03
54260000	2mm ² 2C Tru-rip Speaker Cable	10.53
35100038	3mm High Quality Clear Speaker Cable	35.96

Coaxial Cables

General Cable Code	Description	List Price (\$/m) excl. GST
33932016	TV 101 (RG59 Type) - 75 ohm 1W 0.81mm PHC CP AMS TCBS PVC	POA
33947016	TV 104 (RG11 Type) - 75 ohm 1W 1.63mm PHC CP AMS TCBS PVC	POA
33844016	RG58 - 50 ohm 1W 19/0 19mm TCW PE TCBS PVC	POA
33914016	RG59 - 75 ohm 1W 0.58mm CCSW PE CBS PVC	POA
33926016	RG62 - 93 ohm 1W 0.64mm CCSW PE(T&T) CBS PVC	POA
33929016	RG213 - 50 ohm 1W 7/0.77mm PCW PE CBS PVC	POA
33873016	Thinner - 50 ohm 1W 19/0.2mm TACW CP AMS TCBS PVC	POA

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Fibre Optic Cables		
General Cable Code	Description	List Price (\$/m) excl. GST
F30001050	4 fibre 62.5/125 - Breakout Riser (B Type)	POA
F30001100	6 fibre 62.5/125 - Breakout Riser (B Type)	POA
F30001150	8 fibre 62.5/125 - Breakout Riser (B Type)	POA
F30001200	12 fibre 62.5/125 - Breakout Riser (B Type)	POA
71070131	4 fibre 62.5/125 - Premise Riser (D Type)	POA
71072131	6 fibre 62.5/125 - Premise Riser (D Type)	POA
71073131	8 fibre 62.5/125 - Premise Riser (D Type)	POA
71075131	12 fibre 62.5/125 - Premise Riser (D Type)	POA
71091131	4 fibre 50/125 - Premise Riser (D Type)	POA
71092131	6 fibre 50/125 - Premise Riser (D Type)	POA
71093131	8 fibre 50/125 - Premise Riser (D Type)	POA
71095131	12 fibre 50/125 - Premise Riser (D Type)	POA
71097004	6 fibre 50/125 - OM3	POA
71098004	8 fibre 50/125 - OM3	POA
71099004	12 fibre 50/125 - OM3	POA

High Performance Data Cables - B20/B21				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
26290096	B2001 CS Multipair Data			5.31
26340096	B2002 CS Multipair Data			8.72
26450096	B2003 CS Multipair Data			10.47
26535096	B2004 CS Multipair Data			12.32
26620096	B2006 CS Multipair Data			18.44
27400096	B2008 CS Multipair Data			23.29
27530096	B2012 CS Multipair Data			29.12
27660096	B2025 CS Multipair Data			49.25
26360096	B2002 ESCS Multipair Data			12.18
26470096	B2003 ESCS Multipair Data			15.03
26545096	B2004 ESCS Multipair Data			17.61
26610096	B2006 ESCS Multipair Data			27.20
26390096	B2104 CS Multicores Data			5.19
26495096	B2106 CS Multicores Data			6.53
27280096	B2108 CS Multicores Data			11.03
27320096	B2112 CS Multicores Data			13.44
27440096	B2118 CS Multicores Data			17.26
27490096	B2124 CS Multicores Data			21.33

Economy Data Cables - B95				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
26280096	B9501 CS Multipair Data			2.54
26320096	B9502 CS Multipair Data			4.33
26430096	B9503 CS Multipair Data			5.31
26525096	B9504 CS Multipair Data			6.59
26590096	B9506 CS Multipair Data			9.18
27460096	B9509 CS Multipair Data			14.91
27570096	B9512 CS Multipair Data			18.39
27590096	B9518 CS Multipair Data			25.46
27630096	B9525 CS Multipair Data			33.55

Local Area Network Cable (LAN) - Internal				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
69893092	25 PR 10 MHz Cat 3 UTP			POA
69902092	50 PR 10 MHz Cat 3 UTP			POA
69901092	100 PR 10 MHz Cat 3 UTP			POA
24239021	25 PR 24 AWG Power Sum Cat 5 UTP			POA
24170021	4 PR 100 MHz Cate 5E UTP			POA
24280021	25 PR 100 MHz Cat 5e UTP			POA
24160021	4 PR UTP, tested to 500 MHz Cat 6 UTP - CommandLINX 6			POA

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Local Area Network Cable (LAN) - External, Suitable for Direct Burial

General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
69905016	25 PR 10 MHz Cat 3 UTP PE Sheath			POA
69906016	50 PR 10 MHz Cat 3 UTP PE Sheath			POA
69907016	100 PR 10 MHz Cat 3 UTP PE Sheath			POA
24159016	4 PR 100 MHz Cat 5E UTP PE Sheath			POA
24158016	4 PR 100 MHz Cat 5E UTP PVC + PE Sheath			POA
24153016	4 PR 24 AWG W/B PVC (STP) PE			POA
24162016	4 PR UTP Cat 6 UTP PE Sheath			POA
24161016	4 PR UTP Cat 6 UTP PVC + PE Sheath			POA

Multicore Cables - B40/B41

General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
26230016	B4004 Multicore			4.87
26250016	B4006 Multicore			6.52
27130016	B4012 Multicore			11.56
27160016	B4025 Multicore			17.98
33832016	B4004 CS Multicore			8.46
33835016	B4006 CS Multicore			11.05
33838016	B4012 CS Multicore			15.03
33841016	B4025 CS Multicore			35.07
33853016	B4104 CS Multicore			12.47
33858016	B4106 CS Multicore			17.03
33861016	B4110 CS Multicore			24.63
33864016	B4112 CS Multicore			28.07
33870016	B4125 CS Multicore			47.55
33850016	B4202 CS Multicore (Microphone)			7.74
33829016	7/0.15mm 2C Microphone			7.11

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Instrumentation Cables - B50/B55				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
24595016	B5001CS Instrumentation		A2-00 -16SS	9.11
24640016	B5002CS Instrumentation		A2-00 -20SS	12.63
24760016	B5004CS Instrumentation		A2-0 -20S	20.49
24840016	B5006CS Instrumentation		A2-1 -20	27.59
25710016	B5008CS Instrumentation		A2-1 -20	33.52
25770016	B5010CS Instrumentation		A2-1 -20	44.27
25790016	B5012CS Instrumentation		A2-2 -25	47.76
25860016	B5016CS Instrumentation		A2-2 -25	88.82
25900016	B5024CS Instrumentation		A2-3 -32	94.97
25030016	B5102ES Instrumentation		A2-00 -20SS	9.73
25140016	B5103ES Instrumentation		A2-00 -20SS	12.29
25070016	B5502CS Instrumentation		A2-1 -20	22.26
25090016	B5504CS Instrumentation		A2-1 -20	36.24
25100016	B5506CS Instrumentation		A2-2 -25	47.85
25560016	B5508CS Instrumentation		A2-2 -25	61.15
26015016	B5512CS Instrumentation		A2-3 -32	85.48
26020016	B5516CS Instrumentation		A2-3 -32	121.05
24680016	B5002ESCS Instrumentation		A2-0 -20S	23.31
24795016	B5004ESCS Instrumentation		A2-1 -20	33.29
24880016	B5006ESCS Instrumentation		A2-1 -20	41.14
25730016	B5008ESCS Instrumentation		A2-2 -25	61.61
25780016	B5010ESCS Instrumentation		A2-2 -25	69.93
25840016	B5012ESCS Instrumentation		A2-2 -25	81.84
25865016	B5016ESCS Instrumentation		A2-3 -32	111.70
25050016	B5502ESCS Instrumentation		A2-1 -20	35.32
25091016	B5504ESCS Instrumentation		A2-2 -25	51.84
25105016	B5506ESCS Instrumentation		A2-2 -25	72.15
25108016	B5508ESCS Instrumentation		A2-3 -32	103.97
26010016	B5512ESCS Instrumentation		A2-3 -32	137.96
26025016	B5516ESCS Instrumentation		A2-4 -40	184.51

Instrumentation Cables - B50/B55 Armoured				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
24660016	B5002CS SWA Instrumentation		CW-00-20SS	38.66
24775016	B5004CS SWA Instrumentation		CW-0-20S	47.83
24860016	B5006CS SWA Instrumentation		CW-0-20S	62.25
29080016	B5008CS SWA Instrumentation		CW-1-20	69.29
29190016	B5010CS SWA Instrumentation		CW-1-20	78.20
29160016	B5012CS SWA Instrumentation		CW-2-25	99.57
29211016	B5016CS SWA Instrumentation		CW-2-25	139.92
29220016	B5024CS SWA Instrumentation		CW-3-32	188.34
28150016	B5102ES SWA Instrumentation		CW-00-20SS	30.41
28170016	B5103ES SWA Instrumentation		CW-00-20SS	36.34
28200016	B5502CS SWA Instrumentation		CW-1-20	54.95
28210016	B5504CS SWA Instrumentation		CW-1-20	72.27
28220016	B5506CS SWA Instrumentation		CW-2-25	100.57
25550016	B5508CS SWA Instrumentation		CW-2-25	117.42
29680016	B5512CS SWA Instrumentation		CW-3-32	166.16
29690016	B5516CS SWA Instrumentation		CW-3-32	217.80
24700016	B5002 ESCS SWA Instrumentation		CW-00-20SS	44.19
24820016	B5004 ESCS SWA Instrumentation		CW-1-20	59.99
24900016	B5006 ESCS SWA Instrumentation		CW-1-20	74.80
29120016	B5008 ESCS SWA Instrumentation		CW-2-25	102.76
29140016	B5010 ESCS SWA Instrumentation		CW-2-25	114.92
29200016	B5012 ESCS SWA Instrumentation		CW-2-25	126.07
29240016	B5024 ESCS SWA Instrumentation		CW-3-32	195.13
25085016	B5502ESCS SWA Instrumentation		CW-1-20	66.57
25095016	B5504ESCS SWA Instrumentation		CW-2-25	93.23
28225016	B5506ESCS SWA Instrumentation		CW-2-25	116.62
29265016	B5508ESCS SWA Instrumentation		CW-3-32	161.44
29685016	B5512ESCS SWA Instrumentation		CW-3-32	213.45
29695016	B5516ESCS SWA Instrumentation		CW-4-40	229.69

General Cable New Zealand Limited - Price List - Effective 1st September 2006

Telephone Cables				
General Cable Code	Description	Nominal Dia. (mm)	Compression Gland	List Price (\$/m) excl. GST
24100199	Home LAN - 2 PR 0.51mm PCW PE PVC White			1.76
69595199	B4602 - 2 PR 0.4mm PCW PE PVC White			1.59
70390096	INT 10 PR			POA
68240016	EXT 154 - 15 PR 0.4mm PCW CP PJ PE Black			9.82
68340016	EXT 504 H - 50 PR 0.4mm PCW CP PJ PE Black			24.08
68370016	EXT 014 H - 100 PR 0.4mm PCW CP PJ PE Black			39.25
68703016	EXT 026 - 2 PR 0.63 PCW CP PJ PE Black			2.22
68730016	EXT 046 - 4 PR 0.63mm PCW CP PJ PE Black			4.34
68750016	EXT 076 - 7 PR 0.63mm PCW CP PJ PE Black			8.17
68760016	EXT 156 - 15 PR 0.63mm PCW CP PJ PE Black			14.02
69060016	EXT 256 - 25 PR 0.63mm PCW CP PJ PE Black			22.94
67950016	EXT 026 Aerial - 2 PR 0.63 PCW PE PJ PE SSA Black			3.98
67952016	EXT 046 Aerial - 4 PR 0.63 PCW PE PJ PE SSA Black			7.35
70568000	2W 0.5 TCW PVC Jumper Wire Orange/White			1.06
70553000	2W 0.5 TCW PVC NYLON Jumper Wire Blue/White			1.35