



METAL PRODUCT : Alpha List

PO BOX 38-828 Petone
 Phone 04-5687277
 FAX 04-5685161
 E-mail sales@casa.co.nz

HEADING EXPLANATIONS :

- Avail** = Actual AVAILABLE stock for sale (includes stock to arrive/being made, less customers forward orders)
Unit = Unit of supply / pricing (H = 100, E = Each, Hr = Hour, K = Kit, M = Meter)
Price = List Price for 1 Unit (NZ\$). Please apply for volume pricing, custom processing and alternative finishes etc.
Stock = Physical / Theoretical Stock on hand.
Job # = Current / Last Job number upon which this product was made
Batch = Group of set of similar Metal Product for current / last job



METAL PRODUCT : LOOK UP & ALPHA Listing

Page 1

Fri, Nov 17, 20001:11:55 PM

Report Name :- MP_ALPHA.RSL (31/10/97)AWD

Type / Part / Model #	Description	Price	Unit	Avail	Stock	Job #	Batch
1	HS-100X25-AL10BA-IPS(SSE)	IPS Black Anodised Heatsink to SSE DWG-31449	17.49	E		2908	50
2	HS-102X45X-AL2BA(GEC)	GEC Custom Black Anodised Heatsink Brachet to drawing GEC-HS.PRT	16.37	E			25
3	HS-10446-120-N	Flat-back Heavy Duty Heatsink 120mm	35.52	E			
4	HS-10446-165-N	Flat-back Heavy Duty Heatsink 165mm	41.91	E			
5	HS-10446-210-N	Flat-back Heavy Duty Heatsink 210mm	48.30	E			
6	HS-10446-50-N	Flat-back Heavy Duty Heatsink 50mm	25.58	E			
7	HS-10446-75-N	Flat-back Heavy Duty Heatsink 75mm	29.13	E			
8	HS-10446-88-N(RF)	Flat-back Heavy Duty Heatsink 88mm (5mm rad. on fins)	37.67	E			12
9	HS-10446-CF	Cut & Deburr Fee for Custom Lengths	11.97	E			
10	HS-10446-XXX-N	Custom Cut Length (Natural) 50-2500mm	145.36	M			
11	HS-143-M1-M05-C	Heatsink for 10 Watt Amp	25.44	E			
12	HS-143-M1-M05-H	Heatsink for RX Audio Monitor	12.19	E			
13	HS-143-M1-M09	Antenna Power Supply Heatsink	22.17	E			
14	HS-1633-100-B(TO3-CES)	"CUSTOM" Heatsink Double Sided 100mm Long 1xTO3 + 3xCustom Holes + Milled to Sample or Drawing (Black Anodized)	84.90	E			
15	HS-1633-120-B	Heatsink Double Sided 120mm Long (Black Anodized)	17.59	E			
16	HS-1633-120-N	Heatsink Double Sided 120mm Long (Natural)	14.36	E			
17	HS-1633-120-N(AE5)	CUSTOM Heatsink 120mm Long with fixing holes and 5 Holes Drilled/punched 4mm Dia to Drawing HS1633A5.PRT(Natural)	32.58	E			30
18	HS-1633-120-N(TO3AE)	CUSTOM Heatsink Double Sided 120mm Long (Natural) with 1xTO3 etc.	32.11	E			20
19	HS-1633-140-BO(2TO3)	Heatsink Double Sided 140mm Long 2 x TO3 + 4 fixing holes (Bonderite)	15.04	E			500
20	HS-1633-140-N(2TO3)	Heatsink Double Sided 140mm Long 2 x TO3 + 4 fixing holes (Natural)	15.74	E			100
21	HS-1633-165-B	Heatsink Double Sided 165mm Long (Black Anodized)	20.34	E			
22	HS-1633-165-N	Heatsink Double Sided 165mm Long (Natural)	16.95	E			
23	HS-1633-210-B	Heatsink Double Sided 210mm Long (Black Anodized)	23.09	E			
24	HS-1633-210-N	Heatsink Double Sided 210mm Long (Natural)	19.55	E			
25	HS-1633-210-N(2TO3AE)	CUSTOM Heatsink Double Sided 210mm Long (Natural) with 2xTO3 etc.	26.79	E			80
26	HS-1633-210-N(3TO3AE)	CUSTOM Heatsink Double Sided 210mm Long (Natural) with 3xTO3 etc.	33.62	E			80
27	HS-1633-40-B(Cust)	"CUSTOM" Heatsink Double Sided 40mm Long 1xCustom Hole (Black Anodized)	11.12	E			
28	HS-1633-50-B	Heatsink Double Sided 50mm Long (Black Anodized)	13.09	E			
29	HS-1633-50-B(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Black Anodised)	17.81	E			
30	HS-1633-50-N	Heatsink Double Sided 50mm Long (Natural)	13.59	E			1
31	HS-1633-50-N(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Natural)	21.13	E			10
32	HS-1633-75-B	Heatsink Double Sided 75mm Long (Black Anodised)	17.45	E			1
33	HS-1633-75-B(2TO3)	Heatsink Double Sided 75mm Long 2xTO3 (Black Anodised)	23.06	E			
34	HS-1633-75-B(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Black Anodised)	19.40	E			
35	HS-1633-75-N	Heatsink Double Sided 75mm Long (Natural)	15.18	E			1
36	HS-1633-75-N(2TO3)	Heatsink Double Sided 75mm Long 2xTO3 (Natural)	19.98	E			
37	HS-1633-75-N(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Natural)	16.47	E			
38	HS-1633-88-N(MIK)	Custom Heatsink Double Sided 88mm Long (Natural)	12.00	E			5
39	HS-1633-CF	Cut & Deburr Fee for Custom Length	11.97	E			
40	HS-1633-TO3(Cust)	Custom TO3 Heatsink with various suplimentary holes but substituting 6.35mm fixing holes instead of 6.0 as on drawing.	27.03	E			
41	HS-1633-XXX-N	"CUSTOM" Cut Length (Natural)	58.28	M			
42	HS-1634-120-B	Heatsink Double Sided 120mm Long (Black Anodized)	17.48	E			
43	HS-1634-120-N	Heatsink Double Sided 120mm Long (Natural)	14.86	E			
44	HS-1634-165-B	Heatsink Double Sided 165mm Long (Black Anodized)	20.42	E			
45	HS-1634-165-N	Heatsink Double Sided 165mm Long (Natural)	20.43	E			
46	HS-1634-210-B	Heatsink Double Sided 210mm Long (Black Anodized)	23.36	E			
47	HS-1634-210-N	Heatsink Double Sided 210mm Long (Natural)	20.43	E			
48	HS-1634-300-N(6TO3)	Custom Heatsink with 6 TO-3 Holes spaced at 47mm intervals	27.35	E		1872	42
49	HS-1634-50-B	Heatsink 50mm Long (Black Anodised)	12.85	E			
50	HS-1634-50-B(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Black Anodised)	17.56	E			



Type / Part / Model #	Description	Price	Unit	Avail	Stock	Job #	Batch
51	HS-1634-50-N	Heatsink 50mm Long (Natural)	10.52	E			
52	HS-1634-50-N(TO3)	Heatsink Double Sided 50mm Long (Natural)	15.24	E			
53	HS-1634-75-B	Heatsink Double Sided 75mm Long (Black Anodised)	14.55	E			
54	HS-1634-75-B(2TO3)	Heatsink Double Sided 75mm Long 2xTO3 (Black Anodised)	22.77	E			
55	HS-1634-75-B(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Black Anodised)	19.26	E			
56	HS-1634-75-N	Heatsink Double Sided 75mm Long (Natural)	12.07	E			
57	HS-1634-75-N(2TO3)	Heatsink Double Sided 75mm Long 2xTO3 (Natural)	20.29	E			
58	HS-1634-75-N(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Natural)	16.79	E			
59	HS-1634-CF	Cut & Deburr Fee for Custom Length	11.97	E			
60	HS-1634-XXX-N	Custom Cut Length (Natural)	62.47	M			
61	HS-1634S-120-N	Heatsink Single Sided 120mm Long (Natural)	20.42	E			
62	HS-1634S-165-N	Heatsink Single Sided 165mm Long (Natural)	23.21	E			
63	HS-1634S-210-N	Heatsink Single Sided 210mm Long (Natural)	25.99	E			
64	HS-1634S-50-N	Flat-back Medium duty	16.09	E			
65	HS-1634S-50-N(TO3)	Heatsink Single Sided 50mm Long 1xTO3 (Natural)	20.81	E			
66	HS-1634S-75-N	Heatsink Single Sided 75mm Long (Natural)	16.09	E			
67	HS-1634S-75-N(TO3)	Heatsink Single Sided 75mm Long 1xTO3 (Natural)	22.35	E			
68	HS-1634S-CF	Cut & Deburr Fee for Custom Lengths	18.80	E			
69	HS-1634S-XXX-N	Custom Cut Length (Natural)	62.98	E			
70	HS-1635-165-B	Heatsink Double Sided 165mm Long (Black Anodized)	16.09	E			
71	HS-1635-165-N	Heatsink Double Sided 165mm Long (Natural)	13.47	E			
72	HS-1635-210-B	Heatsink Double Sided 210mm Long (Black Anodized)	17.89	E			
73	HS-1635-210-N	Heatsink Double Sided 210mm Long (Natural)	15.12	E			
74	HS-1635-50-B	Heatsink Double Sided 50mm Long (Black Anodized)	11.43	E			
75	HS-1635-50-B(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Black Anodised)	16.15	E			
76	HS-1635-50-N	Heatsink Double Sided 50mm Long (Natural)	9.26	E			
77	HS-1635-50-N(TO3)	Heatsink Double Sided 50mm Long (Natural)	13.98	E			
78	HS-1635-75-B	Heatsink Double Sided 75mm Long (Black Anodised)	12.50	E			
79	HS-1635-75-N	Heatsink Double Sided 75mm Long (Natural)	10.17	E			
80	HS-1635-75-N(TO3AE)	CUSTOM Heatsink Double Sided 75mm Long 1xTO3 (Natural)	16.41	E			50
81	HS-1635-75-NU(TO3AE)	CUSTOM Heatsink Double Sided 75mm Long 1xTO3 (Natural)	16.62	E		2350	50
82	HS-1635-84-B	"CUSTOM" Length Black Anodised	14.68	E			
83	HS-1635-84-N	"CUSTOM" Length Natural	11.80	E			
84	HS-1635-CF	Cut & Deburr Fee for Custom Length	11.97	E			
85	HS-1635-XXX-N	"CUSTOM" Cut Length (Natural)	37.17	M			
86	HS-180-AL2(POL)	Custom Heatsink 180mm long, punch + fold + Alodize + PEM to drawing POL-HS.PRT	38.49	E			25
87	HS-2068-110-N	Flat Back Heatsink 110mm Long (Natural)	5.16	E			10
88	HS-2068-120-N	Flat Back Heatsink 120mm Long (Natural)	4.75	E			
89	HS-2068-165-N	Flat Back Heatsink 165mm Long (Natural)	6.33	E			
90	HS-2068-210-N	Flat Back Heatsink 210mm Long (Natural)	7.90	E			
91	HS-2068-250N(SMCU)	Custom heatsink for Stepper Controller, 250mm long to drawing SMCU-ASS.PRT	94.00	E		2948	3
92	HS-2068-305-N	Flat Back Heatsink 305mm Long (Natural)	15.08	E			4
93	HS-2068-50-N	Flat Back Heatsink 50mm Long (Natural)	2.31	E			
94	HS-2068-75-N	Flat Back Heatsink 75mm Long (Natural)	3.18	E			
95	HS-2068-87N(MIR)	Custom Flat back heatsink, 90mm long, natural	4.72	E			42
96	HS-2068-90N(MIR)	Custom Flat back heatsink, 90mm long, natural	4.87	E			42
97	HS-2068-96N(MIR)	Custom Flat back heatsink, 96mm long, natural	8.44	E			10
98	HS-2068-xxx-N	Flat Back Heatsink xxxmm Long (Natural)	35.50	M			
99	HS-2068T-173BO-(SAT)	Custom Machined heatsink from trimmed HS-2068 machined, drilled & tapped to Drawing HS2068SA.PRT Issue B 30/04/97	41.17	E		3048	28
100	HS-2068T-173BO-(SAT-NC)	Custom Machined heatsink from trimmed HS-2068 machined, drilled & tapped to Drawing HS2068SA.PRT Issue B 30/04/97	56.89	E		3048	28
101	HS-2068T-173N-(SAT)	Custom Machined heatsink from trimmed HS-2068 machined, drilled & tapped to Drawing HS2068SA.PRT Issue B 30/04/97	79.43	E		3034	8
102	HS-2068T-176N-(SAT)	Custom Machined heatsink from trimmed HS-2068 machined, drilled & tapped to Drawing HS2068SA.PRT Issue B 11/11/95	58.91	E		2760	28
103	HS-2069-120-N	Flat Back Heatsink 120mm Long (Natural)	2.73	E			
104	HS-2069-165-N	Flat Back Heatsink 165mm Long (Natural)	3.54	E			
105	HS-2069-210-N	Flat Back Heatsink 210mm Long (Natural)	4.36	E			
106	HS-2069-50-N	Flat Back Heatsink 50mm Long (Natural)	1.46	E			
107	HS-2069-71N(TEMP)	Custom Flat Back Heatsink 71mm Long (to sample/ approved Drawing)	8.08	E			40
108	HS-2069-75-N	Flat Back Heatsink 75mm Long (Natural)	1.92	E			
109	HS-2069-xxx-N	Flat Back Heatsink xxxmm Long (Natural)	18.65	M			
110	HS-2100I-75(AT)	CUSTOM Heatsink Cut & Deburr only.	3.66	E		2569	104
111	HS-2109-150(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	5.26	E		2605	50

	Type / Part / Model #	Description	Price	Unit	Avail	Stock	Job #	Batch
112	HS-2109-200(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	5.38	E			2605	28
113	HS-2109-260(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	5.38	E			2605	28
114	HS-2109-50(AT)	CUSTOM Heatsink Cut & Deburr only.	5.26	E			2569	48
115	HS-2109-75(AT)	CUSTOM Heatsink Cut & Deburr only.	5.18	E			2569	104
116	HS-2147-150(AT)	CUSTOM Heatsink Cut & Deburr only.	2.72	E			2620	40
117	HS-2147-67(AT)	CUSTOM Heatsink with groves for CB19 Corner Bar.	7.50	E				
118	HS-2147-75(AT)	CUSTOM Heatsink Cut & Deburr only.	2.43	E			2587	150
119	HS-2147-80-AL-N(VEC)	Heatsinks 80 mm long	10.55	E			2648	160
120	HS-2564-150(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	5.69	E			2551	58
121	HS-2564-200(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	5.99	E			2551	58
122	HS-2564-256(AT)	CUSTOM Heatsink Cut Lynish Ends & Deburr only.	6.40	E			2605	32
123	HS-2801-120-N	Flat Back Heatsink 120mm Long (Natural)	13.88	E				
124	HS-2801-165-N	Flat Back Heatsink 165mm Long (Natural)	16.30	E				
125	HS-2801-210-N	Flat Back Heatsink 210mm Long (Natural)	18.72	E				
126	HS-2801-50-N	Flat Back Heatsink 50mm Long (Natural)	10.12	E				
127	HS-2801-75-N	Flat Back Heatsink 75mm Long (Natural)	11.46	E				
128	HS-2801-CF	Cut & Deburr Fee for Custom Lengths	11.97	E				
129	HS-2801-XXX-N	Custom Cut Length (Natural)	54.09	E				
130	HS-3100B-100-AL	Custom Heatsink 100mm for "3100B" with holes at 25mm centres etc.	10.42	E				
131	HS-3257-B(AAVID)	Press-Fit Alloy for TO5	0.80	E				
132	HS-325X45-1500-N	Flat-back Heavy Duty Heatsink 325mm wide 1500mm long	191.91	E				100
133	HS-4159-120-BA(BUZ)	CUSTOM Flat-back Heavy Duty Heatsink 120mm long with holes (Black)	58.89	E				16
134	HS-4159-120-N	Flat-back Heavy Duty Heatsink 120mm long	22.61	E				25
135	HS-4159-120-N(4TH)	Flat-back Heavy Duty Heatsink 120mm long with 4 Fixing holes M4	37.68	E				10
136	HS-4159-120-N(BUZ)	CUSTOM Flat-back Heavy Duty Heatsink 120mm long with holes (Natural)	51.32	E				16
137	HS-4159-150-N	Flat-back Heavy Duty Heatsink 150mm long, cut and deburred only	32.53	E				10
138	HS-4159-150-N(VEC)	Flat-back Heavy Duty Heatsink 210mm long (Blank)	25.30	E				10
139	HS-4159-165-N	Flat-back Heavy Duty Heatsink 165mm long with 4 fixing holes M4	44.70	E				10
140	HS-4159-200-BA(SOL)	CB19 Slotted Flat-back Heatsink 200mm long (Black Anodized)	42.69	E			2924	25
141	HS-4159-200-BA(TME)	CUSTOM Flat-back Heavy Duty Heatsink 200mm long with 20 of M4 tapped holes (Black)	64.16	E				100
142	HS-4159-200-N	Flat-back Heavy Duty Heatsink 200mm long (no holes)	28.91	E			2924	58
143	HS-4159-200-NA(SOL)	CB19 Slotted Flat-back Heatsink 200mm long (natural)	37.32	E			2997	20
144	HS-4159-210(AR1)	CUSTOM Heatsink 210mm, trimmed fin, M3 & 3.2 Holes, Black Anodized	149.72	E				
145	HS-4159-210(AR2)	CUSTOM Heatsink 210mm, M3 Holes, Black Anodized	115.33	E				
146	HS-4159-210(AR3)	CUSTOM Heatsink 210mm, trimmed fin, M3 & 3.2 Holes, Black Anodized	135.95	E				
147	HS-4159-210-N	Flat-back Heavy Duty Heatsink 210mm long with 4 fixing holes M4	52.38	E				10
148	HS-4159-210-N(VEC)	Flat-back Heavy Duty Heatsink 210mm long (Blank)	32.65	E				10
149	HS-4159-240-BA(BUZ)	CUSTOM Flat-back Heavy Duty Heatsink 240mm long with holes (Black)	73.35	E			2920	20
150	HS-4159-240-N(VEC)	Flat-back Heavy Duty Heatsink 240mm long (Blank)	36.33	E				10
151	HS-4159-263-N	Custom Heatsink 263mm long without fixing holes	34.15	E				5
152	HS-4159-300-N(VEC)	Flat-back Heavy Duty Heatsink 150x48x300mm (Blank)	44.70	E				25
153	HS-4159-3000-N	3m Length Heatsink (un-processed)	361.28	E				1
154	HS-4159-38-N	Flat-back Heavy Duty Heatsink 38mm	9.32	E			2931	15
155	HS-4159-400-N(ALL)	Flat-back Heavy Duty Heatsink 150x48x400mm (Blank)	58.40	E				6
156	HS-4159-50-N	Flat-back Heavy Duty Heatsink 50mm	30.87	E				10
157	HS-4159-500-N	Custom Cut Length (Natural) 500mm	65.79	E				4
158	HS-4159-70-N(MM)	Flat-back Heavy Duty Heatsink 70mm long with 8mm Radius on fins	30.33	E				100
159	HS-4159-75-N	Flat-back Heavy Duty Heatsink 75mm	33.88	E				10
160	HS-4159-CF	Cut & Deburr Fee for Custom Lengths	6.92	E				
161	HS-4159-XXX-N	Custom Cut Length (Natural) 50-3000mm	138.79	M				1
162	HS-415904-120-N	Custom Heatsink 120mm long 40mm wide to drawing HS415904	21.88	E				10
163	HS-415904-210-N	Custom Heatsink 210mm long 40mm wide to drawing HS415904	22.48	E				
164	HS-415907-280-N	Custom Heatsink 280mm long 70mm wide to drawing HS415907	33.81	E		0		
165	HS-415907-290-N	Custom Heatsink 280mm long 70mm wide to drawing HS415907	22.29	E		0		4
166	HS-415907-290-N(TWO)	Custom Heatsink 280mm long 70mm wide to drawing HS415907 etc.	87.03	E		0		4
167	HS-415907-360-N	Custom Heatsink 360mm long 70mm wide to drawing HS-BURG.DWG (HS415907)	37.42	E		10	3090	10
168	HS-415907-380-N	Custom Heatsink 380mm long 70mm wide to drawing HS-BURG.DWG (HS415907)	41.17	E			2313	
169	HS-415907-380-N(MIR)	Custom Heatsink 380mm long 70mm wide to drawing HS-BURG.DWG (HS415907)	38.85	E			3090	10
170	HS-415907-400-N	Custom Heatsink 400mm long 70mm wide, 8 x M4 Holes etc. (HS415907)	50.96	E				20
171	HS-415907-400BA	Custom Heatsink 400mm long 70mm wide, 8 x M4 Holes, Black Anodized etc. (HS415907)	58.54	E				20
172	HS-415910-120-BA(IN)	Custom Black Anodized Heatsink 120mm long 100mm wide to drawing HS415910IN.PRT	66.20	E				50

	Type / Part / Model #	Description	Price	Unit	Avail	Stock	Job #	Batch
173	HS-415910-120-N	Custom Heatsink 120mm long 100mm wide to drawing HS415910	28.85	E				
174	HS-415910-120-N(ID)	Custom Heatsink 120mm long 100mm wide to drawing HS415910	34.44	E				50
175	HS-415910-120-NA(IN)	Custom Heatsink 120mm long 100mm wide to drawing HS415910IN Natural Aluminum	60.77	E				50
176	HS-415910-165-N	Custom Heatsink 165mm long 100mm wide to drawing HS415910	34.81	E				
177	HS-415910-210-N	Custom Heatsink 210mm long 100mm wide to drawing HS415910	40.78	E				
178	HS-415910-75-N	Custom Heatsink 75mm long 100mm wide to drawing HS415910	22.88	E				
179	HS-415912-361.7(ST305)	Custom Heatsink 12 Fin, 361.7 Long, Milled, Drilled, Counterbored, Tapped etc. to Drawing 100305	195.08	E				49
180	HS-415912-387.2(ST255)	Custom Heatsink 12 Fin, 387.2 Long, Milled, Drilled, Tapped etc. to Drawing 100255	179.75	E			3084	45
181	HS-415912-84-AN(ADS)	Custom Heatsink 12 Fin, 84mm Long, Ends Lynished and Anodized Natural	25.07	E				20
182	HS-415913-200-BA(TME)	CUSTOM Trimmed Heatsink 200mm long, 130mm wide, with 20 of M4 tapped holes (Black)	72.45	E				50
183	HS-415913-200-N	Custom Heatsink trimmed at 130mm wide 200mm long (no holes)	29.41	E				100
184	HS-415913-200-N	Flat-back Heavy Duty Heatsink 130mm x 200mm long (no holes)	32.59	E				5
185	HS-4159T7-380-N(MIR)	Custom Heatsink 380mm long 70mm wide to drawing HS-BURG.DWG (HS415907)	82.18	E			2756	16
186	HS-4981-4-AL16-BE	Custom Heatsink with TO-3 mounting, Black Polyester	6.23	E				
187	HS-4981-4-AL16-BE	Custom Heatsink with TO-3 mounting, Black Polyester	11.08	E				
188	HS-5084-100N	Heatsink Flat Back, 100mm long, cut to length only (NOT deburred)	7.28	E				10
189	HS-5084-100N(KC)	Heatsink Flat Back, 100mm long, cut to length only (NOT deburred)	6.56	E				200
190	HS-5084-120N	Flat Back Heatsink 120mm long, Cut & Deburred	9.08	E				10
191	HS-5084-120N(SSR)	Flat Back Heatsink 120mm long, Cut & Deburred + M4 Holes for Solid State Relay	16.73	E				50
192	HS-5084-160N(KC)	Heatsink Flat Back, 160mm long, cut drill + counterbore only (NOT deburred)	15.98	E				100
193	HS-5084-165AB(KR)	Custom Flat Back Heatsink 165mm long, Cut & Deburred + M4 Holes for Solid State Relay and Tie bar/heatsink	87.25	E				3
194	HS-5084-165AB(SSR)	Flat Back Heatsink 165mm long, Cut & Deburred + M4 Holes for Solid State Relay	26.59	E				20
195	HS-5084-165N	Flat Back Heatsink 165mm long, Cut & Deburred	12.35	E				5
196	HS-5084-165N(SOL)	Flat Back Heatsink 165mm long, Cut, groove for CB19 & Deburred	11.22	E				20
197	HS-5084-210N	Flat Back Heatsink 210mm long, Cut & Deburred	20.93	E				1
198	HS-5084-220N	Flat Back Heatsink 220mm long, Cut & Deburred	20.93	E				1
199	HS-5084-230N	Flat Back Heatsink 230mm long, Cut & Deburred	18.26	E				2
200	HS-5084-275N(SWI)	Flat Back Heatsink 275mm long, Cut & Deburred	18.50	E				5
201	HS-5084-300N	Flat Back Heatsink 300mm long, Cut & only	25.96	E				1
202	HS-5084-67(AT)	CUSTOM Heatsink 67.26mm long with groves for CB19 Corner Bar.	8.79	E				960
203	HS-5084-80-AL-N(VEC)	Heatsinks 80 mm long	9.29	E			2648/2	160
204	HS-5084-80N	Flat Back Heatsink 80mm long	12.30	E				10
205	HS-5084-80N(SSR)	Flat Back Heatsink 80mm long, Tapped M4 for Solid State Relay	16.28	E			2801	25
206	HS-5084-80N(VEC)	Flat Back Heatsink 80mm long, Tapped M4 for Solid State Relay	17.76	E			2801	25
207	HS-5084-XXX-N	Flat Back Heatsink 100mm x 25mm Natural (bulk lengths) up to 3500mm long	65.06	M				1
208	HS-5084A-80-AL-N(VEC)	Heatsinks 80 mm long	8.90	E			2648/1	160
209	HS-5084 T4-122N(DI)	Custom Heatsink 1220mm long, Trimmed to 26mm wide, drilled and tapped to draeing	50.39	E		0	3110	5
210	HS-5084 T5-300AL(KRY)	Custom Heatsink 300mm long, Trimmed to 48mm wide, Bevel/Debur & lynch sawn edge.	70.18	E		15	2756	2
211	HS-5084 T8-416-AB(TEL1)	Custom Flat Back Heatsink 416mm BLACK (10 holes) to drawing xxx	95.49	E				10
212	HS-5084 T8-416-BO(TEL1)	Custom Flat Back Heatsink 416mm BONDERITE (10 holes) to drawing xxx	82.61	E				10
213	HS-5084 T8-416-N(TEL1)	Custom Flat Back Heatsink 416mm Natural (10 holes) to drawing xxx	387.13	E				1
214	HS-5084 T9-115N(MIR)	Custom Heatsink 115mm long, Cut, Trimmed to 73mm wide, Bevel/Debur sawn edge.	11.18	E			2772	20
215	HS-5084 T9-165N	Flat Back Heatsink 165mm long, Cut & Trimmed to 87mm wide, Deburred etc.	26.85	E				1
216	HS-5084 T9-360N	Custom Heatsink 360mm long, Cut, Trimmed to 70mm wide, Bevel/Debur & lynch sawn edge.	27.94	E		15	2756	15
217	HS-5084 T9-380N(MIR)	Custom Heatsink 380mm long, Cut, Trimmed to 70mm wide, Bevel/Debur & lynch sawn edge.	29.59	E			2756	10
218	HS-55D-120-B	Heatsink Double Sided 120mm Long (Black Anodized)	23.57	E				
219	HS-55D-120-N	Heatsink Double Sided 120mm Long (Natural)	20.49	E				
220	HS-55D-165-B	Heatsink Double Sided 165mm Long (Black Anodized)	28.14	E				
221	HS-55D-165-N	Heatsink Double Sided 165mm Long (Natural)	24.91	E				
222	HS-55D-210-B	Heatsink Double Sided 210mm Long (Black Anodized)	32.87	E				
223	HS-55D-210-N	Heatsink Double Sided 210mm Long (Natural)	29.34	E				
224	HS-55D-50-B	Heatsink Double Sided 50mm Long (Black Anodised)	15.12	E				
225	HS-55D-50-B(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Black Anodised)	21.10	E				
226	HS-55D-50-N	Heatsink Double Sided 50mm Long (Natural)	13.61	E				
227	HS-55D-50-N(TO3)	Heatsink Double Sided 50mm Long 1xTO3 (Natural)	18.32	E				
228	HS-55D-75-B	Heatsink Double Sided 75mm Long (Black Anodised)	18.99	E				
229	HS-55D-75-B(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Black Anodised)	23.71	E				
230	HS-55D-75-N	Heatsink Double Sided 75mm Long (Natural)	16.06	E				

	Type / Part / Model #	Description	Price	Unit	Avail	Stock	Job #	Batch
231	HS-55D-75-N(TO3)	Heatsink Double Sided 75mm Long 1xTO3 (Natural)	20.78	E				
232	HS-55D-CF	Cut & Deburr Fee for Custom Lengths	13.24	E				
233	HS-55D-XXX-N	"CUSTOM" Cut Length (Natural)	100.38	E				
234	HS-5690-B(AAVID)	Pressed Alloy TO3 4-20 Watt	3.52	E				
235	HS-690-TO3-B (EG&G)	Pressed Alloy TO3 4-20 Watt	3.36	E				
236	HS-760-45-AL	Custom Heatsink 45mm for "760" with holes at 25mm centres etc.	9.36	E				
237	HS-CNG-AL16(TO3-SSE)	Custom Heatsink for Transistor Assisted Ignition, 1xTO3,	11.24	E				
238	HS-CUST-PROCESS(TR)	Custom Drill + Tap of Supplied Heatsink to TR Instructions	48.07	E				10
239	HS-DCMC-AL3N	Heatsink Channel 75 x 45 x 25mm for DC Motor Speed Controller	20.06	E			1283	12
240	HS-DG-AL2(8TO220)	Custom CPU Heatsink for TO220 Transistors to SSE DWG# 31340/3	18.83	E				
241	HS-FIXING-KIT(TR)	Custom Brackets and covers assembly for Heatsink (TR Systems)	33.92	PR			2961	10
242	HS-P011-AL16	Custom Heatsink with PEM fasteners to drawing (natural)	32.78	E				
243	HS-SA100-200-AL	Heatsink CUT & DEBURR only	2.33	E				
244	HS-SUNDRY-B	Black EX-COMPUTER Heatsinks	12.80	Kg				
245	HS-SUNDRY-N	Natural EX-COMPUTER Heatsinks	9.60	Kg				
246	HSA-1184-380-N(8TO3)	Heatsink "TEE" ADAPTOR for 3 TO3	44.94	E				
247	HSA-1184-50-N	Heatsink Adaptor	13.44	E				
248	HSA-1184-50-N(2TO3)	Heatsink Adaptor	24.54	E				
249	HSA-1184-50-N(TO3)	Heatsink Adaptor	19.77	E				
250	HSA-1184-CF	Cut & Deburr Fee for Custom Length	11.97	E				
251	HSA-1184-XXX-N	Custom Cut Length (Natural)	26.63	M				
252	HSA-293-50-N(TO3)	Heatsink "Tee" ADAPTOR 50mm long with 1 TO3 at 34.5 deg	7.27	E				
253	HSA-5743-100-B(2xTO3)	Heatsink "ANGLE" Adaptor 100mm with 2xTO3 Punchings, Black Anodized	18.41	E				
254	HSA-5743-380-N(8TO3)	Heatsink "Angle" ADAPTOR 380mm long with 8 TO3 at 34.5 deg	23.47	E				
255	HSA-5743-50-N(TO3)	Heatsink "Angle" ADAPTOR 50mm long with 1 TO3 at 34.5 deg	10.24	E				
256	HSB-160X30-AL45(SATN)	Custom Heatsink Packer/Bracket assembly for Digi-Tech Crates (design & manufacture)	36.66	E			2744	32
257	HSC-1633-120-MS12(BLANK)	BLANK Heatsink Cover to Drawing HSC1633.PRT	1.92	E			3092/1	100
258	HSC-1633-120-MS12-BE	Heatsink Cover to suit HS-1633-120, Black Epoxy	15.27	E				
259	HSC-1633-120-MS12-ZI	Heatsink Cover to suit HS-1633-120, Zinc Plated	12.79	E				
260	HSC-1633-120-MS12AE(BLANK)	Blank CUSTOM Heatsink Cover to drawing HSC1633A.PRT	3.01	E			3092/1	100
261	HSC-1633-120-MS12WE	CUSTOM Heatsink Cover to suit HS-1633-120 to Drawing HSC-1633.PRT, White Epoxy	10.24	E			3092/1	100
262	HSC-1633-120-MS12WE(AE)	CUSTOM Heatsink Cover with 9mm end holes to suit HS-1633-120 to Drawing HSC1633A.PRT, White Epoxy	14.96	E			3092/1	50
263	HSC-1633-210-MS12(BLANK)	BLANK Heatsink Cover to Drawing HSC1633F.PRT	3.98	E				100
264	HSC-1633-210-MS12-BE	Heatsink Cover to suit HS-1633-210, Black Epoxy	16.99	E				80
265	HSC-1633-210-MS12-ZI	Heatsink Cover to suit HS-1633-210, Zinc Plated	16.46	E				
266	HSC-1633-210-MS12-ZP	Heatsink Cover with PEMs, Zinc Plated, to suit HS-1633-210,	15.48	E				
267	HSC-1633-210-MS12WE	Heatsink Cover to suit HS-1633-210, White Epoxy	13.35	E				70
268	HSC-1635-75-MS12(BLANK)	BLANK Heatsink Cover to Drawing HSC1635.PRT	1.84	E			2600/2	100
269	HSC-1635-75-MS12-BE	Heatsink Cover to suit HS-1635-75, Black Epoxy	15.64	E				
270	HSC-1635-75-MS12-ZP	Heatsink Cover to suit HS-1635-75 Zinc Plated	12.37	E				
271	HSC-1635-75-MS12WE(AE)	Heatsink Cover to suit HS-1635-75, White Epoxy	11.31	E			2600/2	50
272	HSC-1635-AL12(CES)	Alloy COVER for fitting to CES-5A/1 Heatsink with 10mm Dia. Gromet hole substituted for 9.8mm on drawing.	9.29	E				
273	HSC-193-32-PMS08-ZC(TR)	CUSTOM Heatsink Cover to suit HS-DTTR to Drawing HSC-TR.PRT, Zinc Chromate	14.18	E			2980-1	27
274	HSFA-415907-290-AL(TWR)	Heatsink Fan Assembly 290mm long for 80mm fans (without fans)	259.94	E				2
275	HSTP-100-AL16N(KC)	Heatsink Transfer Plate, 100mm dia with 60 x 12mm spigot/boss and 2 holes tapped M4 (natural)	25.06	E				500
276	HSUBC-050-MS12	HALF Sub Chassis 50mm deep 1.2mm Mild Steel	8.49	E			75	
277	HSUBC-100-MS12	HALF Sub Chassis 100mm deep 1.2mm Mild Steel	9.27	E			67	
278	HSUBC-150-MS12	HALF Sub Chassis 150mm deep 1.2mm Mild Steel	10.38	E			70	
279	HSUBC-200-MS12	HALF Sub Chassis 200mm deep 1.2mm Mild Steel	11.16	E			50	
280	HSUBC-250-MS12	HALF Sub Chassis 250mm deep 1.2mm Mild Steel	11.94	E			40	